IMPARTE
EQUIPAMENTOS DE SEGURANÇA

Technical Data Sheet

Designation STAINLESS STEEL SWING WALL HOSE REEL, NO CABINET, WITH 20M/25M/30M HOSE

Brand IMPARTE/IMPARTEX **Ref. No.** CR001; CR002 Stainless steel

General Description

The Imparte fire hose reel installed directly on a wall is essential firefighting equipment. The model with swing bracket rotates to make unwinding the hose easier, making the hose easier to handle during operation.
As it has no cabinet, the assembly is exposed, which speeds up access in emergencies and reduces some installation costs.
This type of hose reel is ideal for indoor environments such as corridors, garages, schools, supermarkets, offices, sports venues, cinemas, pharmacies, industrial or commercial areas where quick access and simplicity are priorities in emergencies.



Features

- Hose reel consisting of two cold-rolled steel discs, ⌀530mm, fitted to a ⌀200mm drum;
- Brass swivel joint with axial feed from the mains, through the swing arm;
- 1” brass ball valve;
- Semi-rigid fire hose ⍰25mm, anti-static, abrasion-resistant, maximum working pressure 1.2MPa. Certif certified in accordance with EN 694:2001; black; with a 1” female end fitting at each end;
- Imparte 25mm ABS nozzle with 3 positions spray/jet/shut-off, equivalent orifice ⌀10mm; hose reel and nozzle assembly coefficient K42, with 1” male thread;
- Durability, strength and excellent value for money;

Dimensions

- 575x270mm;

Type of Application

- Surface or recessed mounting;

Standards, certificates, marking and documentation

- CE marking in accordance with NP671-1:2013;
- Certif CE Certificate of Conformity no. 1328-CPR-0009;

How to order

- Ref. CR001__Stainless steel swing hose reel 20m;
- Ref. CR002__Stainless steel swing hose reel 25m;
- Ref. CR002A_Stainless steel swing hose reel 30m.



The illustrative images show the product(s) presented; however, they may differ slightly from the final product(s).

www.imparte.pt

HQ| Edifício Imparte, Alto da Barrada,
2785-646 São Domingos de Rana, Portugal

(+351) 214 448 440
(Call to a national landline)

geral@imparte.pt

IMPARTE
EQUIPAMENTOS DE SEGURANÇA

Designation STAINLESS STEEL SWING WALL HOSE REEL, NO CABINET, WITH 20M/25M/30M HOSE

Brand IMPARTE/IMPARTEX **Ref. No.** CR001; CR002 Stainless steel

Additional Products


- ⊘25mm hose (30 metres) with 12 bar working pressure, certified in accordance with UNE-EN 694:2001, white;
- 1” nozzle in brass or chrome-plated brass;
- Ball valve with pressure gauge;

Additional Products

- The length of the swing arm can be adapted to site requirements;
- Painted in another RAL colour, provided it is approved in the project/by site supervision;
- Photoluminescent signage in accordance with 92/58/EEC.

Technical Drawing

Right-hand model (opens from left to right)



The illustrative images show the product(s) presented; however, they may differ slightly from the final product(s).

www.imparte.pt

HQ| Edifício Imparte, Alto da Barrada,
2785-646 São Domingos de Rana, Portugal

(+351) 214 448 440
(Call to a national landline)

geral@imparte.pt

IMPARTE
EQUIPAMENTOS DE SEGURANÇA


PRODUTO CERTIFICADO certif ANEPC Registo 271

Designation STAINLESS STEEL SWING WALL HOSE REEL, NO CABINET, WITH 20M/25M/30M HOSE

Brand IMPARTE/IMPARTEX **Ref. No.** CR001; CR002 Stainless steel

Technical Drawing

Left-hand model (opens from right to left)



As an innovative company, IMPARTE S.A. reserves the right to change product specifications, models and standard equipment without prior notice and without incurring any obligation.
For more information visit www.imparte.pt or contact our sales department.
The illustrative images show the product(s) presented; however, they may differ slightly from the final product(s).

www.imparte.pt

HQ| Edifício Imparte, Alto da Barrada,
2785-646 São Domingos de Rana, Portugal

(+351) 214 448 440
(Call to a national landline)

geral@imparte.pt