IMPARTE
EQUIPAMENTOS DE SEGURANÇA

Technical Data Sheet

Designation AUTOMATIC HOSE REEL, IN STANDARD CABINET, WITH 20M/25M/30M HOSE

Brand IMPARTE/IMPARTEX **Ref. No.** CR037

General Description

The Imparte fire hose reel with cabinet, for surface or recessed installation, keeps the equipment protected, visible and easy to identify, ensuring it is always ready for use and allowing an immediate response in the event of fire.
The cabinet opens quickly and the hose reel is intuitive to handle, ensuring agile use in an emergency. Its robust construction provides high durability and reliability.
Suitable for indoor spaces where quick access is essential — schools, commercial, industrial or sports areas — this model combines functionality, economy and effectiveness, in line with Imparte's quality standards and the requirements of NP EN 671-1.

How to order

- Ref. CR037__automatic hose reel with 20m;
- Ref. CR037A_automatic hose reel with 25m;
- Ref. CR037B_automatic hose reel with 30m.

Features

- Metal cabinet made of 1.25mm electro-galvanised sheet steel, dimensions 650x650x270mm, with 70µm thermosetting electrostatic powder coating, RAL 3000 "Red", and door with opening angle no less than 180°;
- Right-hand or left-hand door - optional;
- Imparte latch made of polyethylene, protected by a breakable acrylic seal for emergency opening;
- Fixing holes;
- Imparte hose reel consisting of two cold-rolled steel discs, ⌀530mm, fitted to a ⌀200mm drum, 70µm thermosetting electrostatic powder coating, RAL 3000 "Red";
- Brass swivel joint with axial feed from the mains;
- 1" brass ball valve that opens automatically when the reel is swung outwards;
- Semi-rigid fire hose ⍰25mm, anti-static, abrasion-resistant, maximum working pressure 1.2MPa. Certif certified in accordance with EN 694:2001; black; with a 1" female end fitting at each end;
- Imparte 25mm ABS nozzle with 3 positions spray/jet/shut-off, equivalent orifice ⌀10mm; hose reel and nozzle assembly coefficient K42, with 1" male thread;



Standards, certificates, marking and documentation

- CE marking in accordance with NP EN671-1:2013;
- Certif CE Certificate of Conformity no. 1328-CPR-0009;

The illustrative images show the product(s) presented; however, they may differ slightly from the final product(s).

www.imparte.pt

HQ| Edifício Imparte, Alto da Barrada,
2785-646 São Domingos de Rana, Portugal

(+351) 214 448 440
(Call to a national landline)

geral@imparte.pt

IMPARTE
EQUIPAMENTOS DE SEGURANÇA

Designation AUTOMATIC HOSE REEL, IN STANDARD CABINET, WITH 20M/25M/30M HOSE

Brand IMPARTE/IMPARTEX **Ref. No.** CR037


Additional Products

- ⌀25mm hose (30m) with 12 bar working pressure, certified in accordance with UNE-EN 694:2001, white;
- 1” nozzle in brass or chrome-plated brass;
- Micro-switch to signal unauthorised door opening;
- Ball valve with pressure gauge;

Additional Products

- Cabinet in 304 or 316 stainless steel;
- Trim frame for recessed mounting;
- Painted in another RAL colour, provided it is approved in the project/by site supervision;
- Other cabinet latch models on request;
- Photoluminescent signage in accordance with 92/58/EEC.

Technical Drawing



The illustrative images show the product(s) presented; however, they may differ slightly from the final product(s).

www.imparte.pt

HQ| Edifício Imparte, Alto da Barrada,
2785-646 São Domingos de Rana, Portugal

(+351) 214 448 440
(Call to a national landline)


geral@imparte.pt


IMPARTE
EQUIPAMENTOS DE SEGURANÇA

Designation AUTOMATIC HOSE REEL, IN STANDARD CABINET, WITH 20M/25M/30M HOSE

Brand IMPARTE/IMPARTEX **Ref. No.** CR037

Equipment Details


Porta modelo A


Porta modelo B




Variant in double cabinet, RAL9001



As an innovative company, IMPARTE S.A. reserves the right to change product specifications, models and standard equipment without prior notice and without incurring any obligation.
For more information visit www.imparte.pt or contact our sales department.

The illustrative images show the product(s) presented; however, they may differ slightly from the final product(s).

www.imparte.pt

HQ| Edifício Imparte, Alto da Barrada,
2785-646 São Domingos de Rana, Portugal

(+351) 214 448 440
(Call to a national landline)

geral@imparte.pt