IMPARTE
EQUIPAMENTOS DE SEGURANÇA

Technical Data Sheet

Designation **HOSE REEL, DOUBLE CABINET, WITH 2” GLOBE VALVE, 52MM STORZ FLANGE AND CAP, WITH 20M/25M/30M HOSE**

Brand **IMPARTE/IMPARTEX** **Ref. No.** **CR040**

General Description

The Imparte fire hose reel with cabinet, for surface or recessed installation, keeps the equipment protected, visible and easy to identify, ensuring it is always ready for use and allowing an immediate response in the event of fire.
The cabinet opens quickly and the hose reel is intuitive to handle, ensuring agile use in an emergency. Its robust construction provides high durability and reliability.
Suitable for indoor spaces where quick access is essential — schools, commercial, industrial or sports areas — this model combines functionality, economy and effectiveness, in line with Imparte's quality standards and the requirements of NP EN 671-1.

Features


- Cabinet made of 1.25mm electro-galvanised sheet steel, dimensions 650x960x270mm, with compartment for a 6kg ABC extinguisher, 70µm thermosetting electrostatic powder coating, RAL 3000 "Red“, and door with opening angle no less than 180º;
- Right-hand or left-hand opening door (optional);
- Imparte latch made of polyethylene, protected by a breakable acrylic seal for emergency opening;
- Fixing holes;
- 2” threaded or grooved pipe connection;
- 2” SI-AN globe valve with flange and 52mm Storz cap;
- Imparte hose reel consisting of two cold-rolled steel discs, ⊘530mm, fitted to a ⊘200mm drum, 70µm thermosetting electrostatic powder coating, RAL 3000 "Red";
- Brass swivel joint with axial feed from the mains;
- 1” brass ball valve;
- Semi-rigid fire hose ⍰25mm, anti-static, abrasion-resistant, maximum working pressure 1.2MPa. Certif certified in accordance with EN 694:2001; black; with a 1” female end fitting at each end;
- Imparte 25mm ABS nozzle with 3 positions spray/jet/shut-off, equivalent orifice ⊘10mm; hose reel and nozzle assembly coefficient K42, with 1” male thread;

Standards, certificates, marking and documentation

- CE marking in accordance with NP EN671-1:2013;
- Certif CE Certificate of Conformity no. 1328-CPR-0009;

How to order

- Ref. CR040__hose reel with 20m hose;
- Ref. CR040A_hose reel with 25m hose;
- Ref. CR040B_hose reel with 30m hose.



The illustrative images show the product(s) presented; however, they may differ slightly from the final product(s).

www.imparte.pt

HQ| Edifício Imparte, Alto da Barrada,
2785-646 São Domingos de Rana, Portugal

(+351) 214 448 440
(Call to a national landline)


geral@imparte.pt

IMPARTE
EQUIPAMENTOS DE SEGURANÇA

Designation HOSE REEL, DOUBLE CABINET, WITH 2” GLOBE VALVE, 52MM STORZ FLANGE AND CAP, WITH 20M/25M/30M HOSE

Brand IMPARTE/IMPARTEX **Ref. No.** CR040

Technical Drawing



The illustrative images show the product(s) presented; however, they may differ slightly from the final product(s).

www.imparte.pt

HQ| Edifício Imparte, Alto da Barrada,
2785-646 São Domingos de Rana, Portugal

(+351) 214 448 440
(Call to a national landline)

geral@imparte.pt

IMPARTE
EQUIPAMENTOS DE SEGURANÇA

Designation HOSE REEL, DOUBLE CABINET, WITH 2” GLOBE VALVE, 52MM STORZ FLANGE AND CAP, WITH 20M/25M/30M HOSE

Brand IMPARTE/IMPARTEX **Ref. No.** CR040

Additional Products

- ⌀25mm hose (30m) with 12 bar working pressure, certified in accordance with UNE-EN 694:2001, white;
- 1” nozzle in brass or chrome-plated brass;
- Pressure gauge 0~16bar;
- Micro-switch to signal unauthorised door opening;
- Trim frame for recessed mounting;


Additional Products


- Cabinet in 304 or 316 stainless steel;
- Globe valve with fire-service thread outlet or other adapter such as Guillemin or Instantaneous;
- 6kg ABC or AFFF extinguisher;
- Painted in another RAL colour, provided it is approved in the project/by site supervision;
- Other cabinet latch models on request;
- Photoluminescent signage in accordance with 92/58/EEC.


Equipment Details






Porta modelo A


Porta modelo B



As an innovative company, IMPARTE S.A. reserves the right to change product specifications, models and standard equipment without prior notice and without incurring any obligation.
For more information visit www.imparte.pt or contact our sales department.

The illustrative images show the product(s) presented; however, they may differ slightly from the final product(s).

www.imparte.pt

HQ| Edifício Imparte, Alto da Barrada,
2785-646 São Domingos de Rana, Portugal

(+351) 214 448 440
(Call to a national landline)

geral@imparte.pt